FILE COPY

IDAHO DEPARTMENT OF
HEALTH & WELFARE

C.L. "BUTCH" OTTER – Governor
RICHARD M. ARMSTRONG – Director

DEBRA RANSOM, R.N.,R.H.I.T., Chief
BUREAU OF FACILITY STANDARDS
3232 Elder Street
P.O. Box 83720
Boise, ID 83720-0036
PHONE 208-334-6626
FAX 208-364-1888

April 17, 2007

Sheila Tibbitts
Blackfoot Medical Center
1441 Parkway Drive
Blackfoot, ID 83221

Dear Ms. Tibbitts:

This is to advise you of the findings of the Medicare survey, which was concluded at your facility, Blackfoot Medical Center, on April 11, 2007.

Enclosed is your copy of a Statement of Deficiencies/Plan of Correction, form CMS-2567, which states that no deficiencies were noted at the time of the survey.

Thank you for the courtesies extended to us during our visit. If we can be of any help to you, please call our office at (208)334-6626.

Sincerely,

PENNY SALOW
Health Facility Surveyor
Non-Long Term Care

SYLVIA CRESWELL
Supervisor
Non-Long Term Care

SC/mlw

Enclosure

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	133831	A. BUILDING _____ B. WING _____	04/11/2007

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
BLACKFOOT MEDICAL CENTER	1441 PARKWAY DRIVE BLACKFOOT, ID 83221

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
J 000	INITIAL COMMENTS No deficiencies were cited during the Medicare recertification survey of your Rural Health Clinic. Blackfoot Medical Center is in compliance with the requirements of 42 CFR 491, Subpart A, Conditions for Coverage of Rural Health Clinic services. The surveyor conducting the Medicare recertification survey was Penny Salow, R.N., H.F.S.	J 000		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.